534-4

COBURING STANDARD FIREPROF DORS AND

FINITURES

COBURN TROLLEY TRACK MFG. CO. HOLYOKE, MASS., U. S. A.

COBUTELLY STANDARD STANDARD DOORSAND

STANDARD FIRE PROOF DOORS

C B N ALSO MAKERS OF

BARN DOOR HANGERS
PARLOR DOOR HANGERS
ROLLING STORE LADDERS

CATALOG NO. 51

CARRYINGTRACKSYSTEMS
FOR ECONOMICAL MOVEMENT OF HEAVY LOADS


WAREHOUSES

65 E. Lake Street, Chicago 422 Commerce Street, Philadelphia

180 High Street, Boston

102 Beekman Street, New York

COBURN TROLLEY TRACK MFG. CO. HOLYOKE, MASS.



1 HORSONS-

RESIDENCE.

Reprint B.


property.

INDEX

Sliding Doors and Hardware.		
Data Required to Make Doors or Quote Prices		
List Trice of Fire Doors		34-33
Double Incline Slide, Style B		. 3
Method of Making Approved Fire Doors		. 10
Single Slide, National A		3
National Slide, Philadelphia Standard		. 4
National Slide. Cincinnati Standard		. 6
National Slide, Regular A		. 7
National Style, (Level Style C) National Slide, (Level Style D)		. 8
National Slide, (Level Style D) National Slide, (limited headroom) Style F		. 11
National Slide, (limited headroom) Style E		. 12
vertical blide. Styles (7 and H		. 9
Vertical Slide, Style J Parts of Hardware for Incline Slide D		. 14
Parts of Hardware for Indi		. 15
Parts of Hardware for Vertical Slide Doors Expansion Bolts		5-13
Expansion Bolts.		. 16
Thresholds		. 30
Machine Bolts		. 26
Swing Doors		30
Data Required to Make Doors or Quote Prices		
Double Swing Doors, Style NN		33-34
Double Swing Doors, Style RR		10
Single Swing Doors, Style N.		20
Single Swing Doors, Style R		17
Swing Shutters, Style O		18
Parts of Hardware for Swing Doors		24
Frames, Iron		. 24
Gravity Top and Bottom Bolts		20 20
Hinges		28-29
Latches .		. 23
Pintles .		. 26
Shutter Fixtures .		. 21
Thresholds		. 22
Trap Door Fixtures		. 25
Panel Doors		. 26
Headroom Required for All Fixtures		. 27
1 Total All Fixtures	•	. 32
		. 35


SECTION.

STREET, SQUARE,



NATIONAL STANDARD DOUBLE LOCK FIRE PROOF DOORS AND SHUTTERS.

Bearing Inspection Labels of Underwriters' Laboratories



CONSTRUCTED UNDER SUPERVISION OF No. 4020

FIRE SHUTTER.

CONSTRUCTED UNDER SUPERVISION OF UNDERWRITERS LABORATORIES, INC. No 2385


Unless Doors and Shutters Bear These Labels they are not Inspected by The Underwriters' Laboratories, Inc.

3-Ply Labeled Doors Weigh 7½ lbs. per sq. ft. 2-Ply Labeled Doors weigh 5½ lbs per sq. ft.

LIST PRICES OF DOORS AND SHUTTERS.


3-PLY LABELED DOORS	2½" THICK 14" x 20" I. C. 113 Lb. Plates, Double Lock Joints, per square foot	\$0.75
2-PLY LABELED DOORS	13" THICK 14"x 20" I. C. 113 Lb. Plates, Double Lock Joints, per square foot	. 65
2-PLY LABELED SHUTTERS	13" THICK 14" x 20" I. C. 113 Lb. Plates, Double Lock Joints, per square foot	. 65
3-PLY NOT LABELED DOORS	2½" THICK 14" x 20" I. C. 103 Lb. Plates, Single Lock Joints, per square foot.	. 60
2-PLY NOT LABELED DOORS	13" THICK 14" x 20" I. C. 108 Lb. Plates, Single Lock Joints, per square foot	. 50
2-PLY NOT LABELED SHUTTERS	S 13" THICK 14" x 20" I. C. 108 Lb. Plates, Single Lock Joints, per square foot	. 50

NOTE-Above prices based on doors containing 18 sq. ft. to 80 sq. ft. For smaller or larger doors extra charge is made.



NATIONAL STYLE "A"

The Underwriters Favorite Incline Slide



Inspected and Labeled under the Supervision of the Underwriters' Laboratories, Inc.


Wall bolts are not included in price list below. See page 30 for price list of bolts. Underwriters require three hangers for openings in excess of six feet wide.

For Price List of Parts see page 5.


Width of Opening, Two Hangers Per Set	Price List Per Set	Weight Per Set	Width of Opening, Three Hangers Per Set	Price List Per Set	Weight Per Set
FOR OPENING 2 Feet 6 Inches Wide	\$17.20	156	FOR OPENING 6 Feet 6 Inches Wide.		232
FOR OPENING 3 Feet 0 Inches Wide	17.50	166	FOR OPENING 7 Feet 0 Inches Wide.	22.75	239
FOR OPENING 3 Feet 6 Inches Wide	17.80	172	FOR OPENING 7 Feet 6 Inches Wide.		246
FOR OPENING 4 Feet 0 Inches Wide	18.10	178	FOR OPENING 8 Feet 0 Inches Wide.		
FOR OPENING 4 Feet 6 Inches Wide	18.40	184	FOR OPENING 8 Feet 6 Inches Wide.		261
FOR OPENING 5 Feet 0 Inches Wide	-18.85	194	FOR OPENING 9 Feet 0 Inches Wide.		269
FOR OPENING 5 Feet 6 Inches Wide	19.30	204		25.50	279
FOR OPENING 6 Feet 0 Inches Wide	19.60	210	FOR OPENING 9 Feet 6 Inches Wide.	26.00	287
Price List of Doors on Page 3.	10.00	210	FOR OPENING 10 Feet 0 Inches Wide. In ordering give data on I	26.50	295

COBURN

SLIDE DOOR FIXTURES




								-4
Style No.		Price List			Price List	Style	No.	Price List
F-25	TRACK 3½"x¾", Per Foot	\$0.35	F-35	WEIGHT 4½" per lb	\$0.08	F-45	HEAVY FLUSH HAN- DLE Each	\$0.25
F-26	SASH CORD, Per Foot	. 04	F-36	ROLLER BUSHED HANGER per pr	4.00	F-46	PULLEY AND BUSH- ING on 3½" bracket ea.	.75
F-27	CHAFE STRIP for guide roll, Per Foot	.10	F-37	FRONT BUMPER Each	.80	F-47	LINK ARM AND "S" HOOK, Each	. 20
F-28	WASHER STRIP for front of door, Per Foot	.08	F-38	EXPAN. EYE BOLT \" WITH 2" RING, each	.30	F-48	WEDGE, Each	.10
F-29	HALF OVAL CHAFE STRIP, Per Foot	.12	F-39	REAR STOP AND PULLEY Each	1.30	F-49	SWIVEL PULLEY, Each	. 30
F-30	TIRE BOLT, 4"x34", Each	.02	F-40	BUMPER & ARM CIN. STD., Each	1.10	F-50	SWIVEL PULLEY & 1" EXPAN. EYE, Each	. 50
F-31	EXPAN. EYE BOLT, 3", Each	. 20	F-41	REAR STOP PULLEY AND ARM, Each	1.50	F-51	PULLEY AND BUSH- ING on 116" bracket,	.70
F-32	TRACK BRACKET for 2½" door, Each	.18	F-42	SPEC. FLAT HD. HGR. BOLT, ½"x3½", Each	.06	F-52	FUSIBLE LINK, Under- writers Std., Each	. 50
F-33	HEAVY WASHER, 4", Each	.15	F-43	HEAVY RAISED HAN- DLE, Each	. 25	F-53	BINDER, Each	.75
F-34	BUMPER SHOE, Each	.10	F-44	STOVE BOLT, 3"x31", Each	.03	F-54	GUIDE ROLL, Each	2.00



PHILADELPHIA STANDARD

INCLINE SLIDE




Inspected and labeled under the supervision of the Underwriters' Laboratories, Inc.

Wall bolts are not included in price list below. See page 30 for price list of bolts.

Underwriters require three hangers for openings in excess of six feet wide.


For Price List of Parts see Page 5

Width of Opening, Two Hangers Per Set	Price List Per Set	Weight Per Set	Width of Opening, Three Hangers Per Set	Price List Per Set	Weight Per Set
FOR OPENING 2 Feet 6 Inches Wide	\$19.00	168	FOR OPENING 6 Feet 6 Inches Wide.	\$25.65	255
FOR OPENING 3 Feet 0 Inches Wide	19.50	179	FOR OPENING 7 Feet 0 Inches Wide.	26.35	264
FOR OPENING 3 Feet 6 Inches Wide	20.00	186	FOR OPENING 7 Feet 6 Inches Wide.	27.05	273
FOR OPENING 4 Feet 0 Inches Wide	20.50	193	FOR OPENING 8 Feet 0 Inches Wide.	28.25	292
FOR OPENING 4 Feet 6 Inches Wide	21.00	201	FOR OPENING 8 Feet 6 Inches Wide.	28.95	302
FOR OPENING 5 Feet 0 Inches Wide	21.65	212	FOR OPENING 9 Feet 0 Inches Wide.	29.90	316
FOR OPENING 5 Feet 6 Inches Wide	22.30	224	FOR OPENING 9 Feet 6 Inches Wide.	30.60	326
FOR OPENING 6 Feet 0 Inches Wide Price List of Doors on Page 3.	22.80	231	FOR OPENING 10 Feet 0 Inches Wide.		338



CINCINNATI STANDARD

INCLINE SLIDE




Inspected and labeled under the Supervision of the Underwriters' Laboratories, Inc.

Wall bolts are not included in price list below. See page 30 for price list of bolts. Underwriters require three hangers for openings in excess of six feet wide.

For Price List of Parts see Page 5.


Width of Opening, Two Hangers Per Set	Price List Per Set	Weight Per Set	Width of Opening, Three Hangers Per Set	Price List Per Set	Weight Per Set
FOR OPENING 2 Feet 6 Inches Wide	\$19.00	160	FOR OPENING 6 Feet 6 Inches Wide.	\$24.95	236
FOR OPENING 3 Feet 0 Inches Wide	19.50	170	FOR OPENING 7 Feet 0 Inches Wide.	25.55	243
FOR OPENING 3 Feet 6 Inches Wide	19.90	176	FOR OPENING 7 Feet 6 Inches Wide.	26.15	250
FOR OPENING 4 Feet 0 Inches Wide	20.30	182	FOR OPENING 8 Feet 0 Inches Wide.	27.25	265
FOR OPENING 4 Feet 6 Inches Wide	20.70	188	FOR OPENING 8 Feet 6 Inches Wide.	27.85	273
FOR OPENING 5 Feet 0 Inches Wide	21.25	198	FOR OPENING 9 Feet 0 Inches Wide.	28.70	283
FOR OPENING 5 Feet 6 Inches Wide	21.80	208	FOR OPENING 9 Feet 6 Inches Wide.	29.30	291
FOR OPENING 6 Feet 0 Inches Wide	22.20	214	FOR OPENING 10 Feet 0 Inches Wide.	29.90	299

Price List of Doors on Page 3.



REGULAR STYLE "A"

(Not Labeled)
INCLINE SLIDE



This style of Fixtures does not bear Inspection Labels of the Underwriters' Laboratories, Inc. Wall bolts are not included in price list below. See page 30 for price list of bolts.


For Price List of Parts see Pages 5 and 13

	D				
Width of Opening, Two Hangers Per Set	Price List Fer Set	Weight Per Set	Width of Opening, Two Hangers Per Set	Price List Per Set	Weight Per Sei
FOR OPENING 2 Feet 6 Inches Wide	\$14.00	122	FOR OPENING 6 Feet 6 Inches Wide.	\$17.10	191
FOR OPENING 3 Feet 0 Inches Wide	14.30	131	FOR OPENING 7 Feet 0 Inches Wide.	17.50	200
FOR OPENING 3 Feet 6 Inches Wide	14.80	141	FOR OPENING 7 Feet 6 Inches Wide.		
FOR OPENING 4 Feet 0 Inches Wide	15.10	148	FOR OPENING 8 Feet 0 Inches Wide.		208
FOR OPENING 4 Feet 6 Inches Wide	15.40	156	FOR OPENING 8 Feet 6 Inches Wide.		219
OR OPENING 5 Feet 0 Inches Wide	15.90	165			227
FOR OPENING 5 Feet 6 Inches Wide	16.20	173	FOR OPENING 9 Feet 0 Inches Wide.		236
OR OPENING 6 Feet 0 Inches Wide			FOR OPENING 9 Feet 6 Inches Wide.		246
rice List of Doors on Page 3.	10.00	180	FOR OPENING 10 Feet 0 Inches Wide.	20.50	255


In oderring give data on pages 33 and 34.

Name and

Name of Street




STYLE "E" INCLINE SLIDE FOR LIMITED HEADROOM



Price List of Parts Pages 5 and 13.
Wall bolts not included in price list below. See page 30 for price list of bolts.


National Style "E" Labeled Fixtures	Price List Per Set	Weight Per Set	Regular Style "E" Not Labeled Fixtures	Price List Per Set	Weight Per Set
FOR OPENING 3 Feet 0 Inches Wide	\$20.50	145	FOR OPENING 3 Feet 0 Inches Wide.	\$16.80	123
FOR OPENING 4 Feet 0 Inches Wide	21.10	166	FOR OPENING 4 Feet 0 Inches Wide.	17.60	144
FOR OPENING 5 Feet 0 Inches Wide	22.35	180	FOR OPENING 5 Feet 0 Inches Wide.	18.90	165
FOR OPENING 6 Feet 0 Inches Wide	23.60	201	FOR OPENING 6 Feet 0 Inches Wide.	19.50	179
FOR "Hangers 7 Feet 0 Inches Wide	26.75	215	FOR OPENING 7 Feet 0 Inches Wide.	21.00	200
FOR " " 8 Feet 0 Inches Wide	29.25	235	FOR OPENING 8 Feet 0 Inches Wide.	22.50	221
FOR " 9 Feet 0 Inches Wide	31.00	264	FOR OPENING 9 Feet 0 Inches Wide.	23.40	235
FOR " " 10 Feet 0 Inches Wide	32.00	278	FOR OPENING 10 Feet 0 Inches Wide.	25.00	256

Price List of Doors on Page 3.



STYLE "B"

DOUBLE INCLINE SLIDE




For Price List of Parts see Pages 5 and 13.

Wall bolts not included in price list below. See page 30 for price list of bol


National Style "B" Labeled Fixtures	Price List Weight		Page 30 for price list of bolts.				
	Per Set	Per Set	Regular Style "B" Not Labeled Fixtures	Price List Per Set	Weight Per Set		
FOR OPENING 4 Feet 0 Inches Wide	\$30.00	199	FOR OPENING 4 Feet 0 Inches Wide.				
FOR OPENING 5 Feet 0 Inches Wide	31.00	217			199		
FOR OPENING 6 Feet 0 Inches Wide			FOR OPENING 5 Feet 0 Inches Wide.	26.00	205		
		231	FOR OPENING 6 Feet 0 Inches Wide.	27.00	210		
FOR OPENING 7 Feet 0 Inches Wide	33.00	245			219		
FOR OPENING 8 Feet 0 Inches Wide	34.00	270	FOR OPENING 7 Feet 0 Inches Wide.	28.00	233		
		259	FOR OPENING 8 Feet 0 Inches Wide.	29.00	247		
FOR OPENING 9 Feet 0 Inches Wide	35.00	277			241		
FOR OPENING 10 Feet 0 Inches Wide	36.00	291	FOR OPENING 9 Feet 0 Inches Wide.	30.00	265		
		291	FOR OPENING 10 Feet 0 Inches Wide.	31.00	279		
Price List of Decree D.	37.00	305	FOR OPENING 11 Feet 0 Inches Wide.		210		
Price List of Doors on Page 3.			In 1 reet 0 Inches Wide.	32.00	293		

SACRONICE.



STYLE "C"

LEVEL SLIDE




For Price List of Parts see Pages 5 and 13.

Wall bolts not included in price list below. See page 30 for price list of bolts.


National Style "C" Labeled Fixtures	Price List Per Set	Weight Per Set	Regular Style "C" Net Labeled Fixtures	Price List Per Set	Weight Per Set
FOR OPENING 3 Feet 0 Inches Wide	\$19.50	184	FOR OPENING 3 Feet 0 Inches Wide.	\$16.30	149
FOR OPENING 4 Feet 0 Inches Wide	20.40	200	FOR OPENING 4 Feet 0 Inches Wide.	17.40	170
FOR OPENING 5 Feet 0 Inches Wide	21.45	220	FOR OPENING 5 Feet 0 Inches Wide.	18.50	191
FOR OPENING 6 Feet 0 Inches Wide	22.50	240	FOR OPENING 6 Feet 0 Inches Wide.	19.40	210
FOR "Hangers 7 Feet 0 Inches Wide	25.95	273	FOR OPENING 7 Feet 0 Inches Wide.	20.70	234
FOR " 8 Feet 0 Inches Wide	27.75	299	FOR OPENING 8 Feet 0 Inches Wide.	22.00	257
FOR " 9 Feet 0 Inches Wide	29.30	321	FOR OPENING 9 Feet 0 Inches Wide.	23.20	278
FOR " " 10 Feet 0 Inches Wide	30.60	341	FOR OPENING 10 Feet 0 Inches Wide.	24.60	301

Price List of Doors on Page 3.



STYLE "D"

LEVEL SLIDE FOR LIMITED HEADROOM




Wall bolts not included in price list below. See page 30 for price list of bolts.


National Style "D" Labeled Fixtures	Price List Per Set		see page 30 for price list of bolts.					
		Per Set	Regular Style "D" Not Labeled Fixtures	Price List Per Set	Weight Per Set			
OR OPENING 3 Feet 0 Inches Wide	22.50	163	FOR OPENING 3 Feet 0 Inches Wide.					
OR OPENING 4 Feet 0 Inches Wide	23.40	188			141			
OR OPENING 5 Feet 0 Inches Wide		100	FOR OPENING 4 Feet 0 Inches Wide.	19.90	166			
		206	FOR OPENING 5 Feet 0 Inches Wide.	21 50				
OR OPENING 6 Feet 0 Inches Wide	26.50	231			191			
OR "Hangers 7 Feet 0 Inches Wide	20.05		FOR OPENING 6 Feet 0 Inches Wide.	22.40	209			
	29.95	249	FOR OPENING 7 Feet 0 Inches Wide.	21.20	004			
OR " " 8 Feet 0 Inches Wide	32.75	273		24.20	234			
OR " " 9 Feet 0 Inches Wide	34.80	200	FOR OPENING 8 Feet 0 Inches Wide.	26.00	255			
		306	FOR OPENING 9 Feet 0 Inches Wide.	27 20	070			
OR " " 10 Feet 0 Inches Wide	36.10	324		27.20	273			
rice List of Doors on Page 3.			FOR OPENING 10 Feet 0 Inches Wide. In ordering give data on 1	29.10	298			

COBURN


STOPS AND GUIDES



Style No	Wall bolts not included in price.	Price List	Style N	io.	Price List
F-55	BINDER FOR WALL, Each	\$0.60	F-63	PULLEY WITH SHOULDER BOLT, Each	\$0.50
F-56	HEAVY COPPER COATED CHAIN, Per Foot	.10	F-64	GUIDE ROLL FOR FLOOR, Each	. 80
F-57	ADJUSTABLE REAR STOP AND PULLEY, Each	1.25	F-65	SPECIAL GUIDE ROLL to bolt thru floor, Each	2.00
F-58	ADJUSTABLE FRONT STOP AND BIN- DER, Each.	1.00	F-66	SPECIAL GUIDE ROLL to bolt to wall, Each.	1.00
F-59	CENTER STOP, for narrow doors,	1.00	F-67	SPECIAL GUIDE ROLL to bolt to wall,	1.25
F-60	CENTER STOP, for wide doors, Each	1.25	F-68	SPECIAL GUIDE ROLL for angle iron threshold, Each	
F-61	STEEL TRACK BRACKET, used with Style "D" and "E", Each	1.00	F-69	SPECIAL GUIDE ROLL to bolt to wall, Each	1 00
F-62	TRACK BRACKET AND STOP, used with Style "D" and "E", Each	. 50			



VERTICAL SLIDE



STYLE "G"

Note-STYLE "G" PULLEYS FASTEN TO CEILING.

STYLE "H"

Note-STYLE "H" SAME AS STYLE "G" EXCEPT PULLEYS BOLT TO WALL


		DOLI TO WALL	
	30.00	For Wider Opening add per foot	2.75
	32.00	For Wider Opening add per foot	3.00
		For Wider Opening add per foot.	3.25
			3.50
		For Wider Opening add per foot.	3.75
	40.00		
	42.00		
		E WAY DEL TOOL	4.50
Wall bol		ed in above prices D	4.75

For Price List of Doors see Page 3.


In ordering of bolts page 30.

For Price List of Parts of Fixtures see Page 16.

In ordering give data on pages 33 and 34.




DOUBLE VERTICAL SLIDE




STYLE "J"

Size of Opening Width Height	Price List Per Set		
3' x 6'	\$70.00	For Wider Opening add per foot	\$4.00
3' x 6' 6"	73.00	For Wider Opening add per foot	
3' x 7'	76.00	For Wider Opening add per foot	
3' x 7' 6"	79.00	For Wider Opening add per foot	
3' x 8'		For Wider Opening add per foot	
3' x 8' 6"		For Wider Opening add per foot	6.50
3' x 9'	88.00	For Wider Opening add per foot	7.00
		will be quoted upon application.	
NOTE-Above prices are for hardware	complete for two	doors-ply. Prices for hardware for 3-ply doors quoted upon application.	

For Price List of Doors see Page 3.




VERTICAL SLIDE DOOR FIXTURES



		Price List	Part No.		
F-122	5" SHEAVE				Price List
F-123	8" SHEAVE, roller bearing.	9 50	F 120 D	I" CABLE, per foot	\$0.20
F-124		2.00	r-130-B	4" CABLE, per foot	.25
	5" SHEAVE	2.00		CABLE CLAMP	
F-125	8" SHEAVE, roller bearing	2.50	K 120		The state of the s
F-126	5" SHEAVE	.75	34 3-2-3	DOOR GUIDE	The state of the s
F-127	4" SHEAVE		F 124	WEIGHT, per pound	The state of the s
F-128				CABLE THIMBLE	.10
F-129	8" SHEAVE, roller bearing		K 195	TRACK BRACKET	
1-120	ROPE STRAP	. 50	1 126	3" x 1" TRACK, per foot	



SINGLE SWING




STYLE "N"


NATIONAL "N" LABELED FIXTURES	Price List REGULAR "N" NOT LABELED FIXTURES	Price List
COMPLETE SET OF FIXTURES for 3'-0" Wide Overlap Door	\$15.00 COMPLETE SET OF FIXTURES FOR 3'-0" William Door	de \$13.00
COMPLETE SET OF FIXTURES for 3'-0" Wide Flush Door Wide	13.50 COMPLETE SET OF FIXTURES for 3'-0" Wi	de 11.50
FOR WIDER DOORS Add Per Foot	.75 FOR WIDER DOORS, Add Per Foot	
AUTO. CLOSING DEVICE, Complete	5.50 AUTO. CLOSING DEVICE, Complete	5.50
NOTE-Hinge Pintles are not included in above prices.	(For prices of Pintles see page 22.)	

NOTE—Prices of above complete sets include two hinges, triple latch and auto, closing device. If three hinges are required add price of extra hinges. (See page 26 for prices of hinges.)

Price List of Doors on Page 3.




SINGLE SWING




STYLE "R"

(Not Labeled)

Price List
Price List \$8.75
9.75
9.75
5.00
ld price of



DOUBLE SWING



STYLE "N N"

NATIONAL "NN" LABELED FIXTURES	Price List	REGULAR "NN" NOT LABELED FIXTURES	Price List
COMPLETE SET OF FIXTURES for 4'-0" Wide Overlap Doors	\$25.00	COMPLETE SET OF FIXTURES for 4'-0" Wide Overlap Doors	\$20.00
COMPLETE SET OF FIXTURES for 4'-0" Wide Flush Doors Wide	24.00	COMPLETE SET OF FIXTURES for 4'-0" Wide Flush Doors.	19.00
FOR WIDER DOORS, Add Per Foot	.75	FOR WIDER DOORS, Add Per Foot	.75
AUTO. CLOSING DEVICE, Complete	10.00	AUTO. CLOSING DEVICE, Complete	10.00
STEEL ASTRAGAL to Bolt to Door, Per Foot	.25	STEEL ASTRAGAL to Bolt to Door,	.25


NOTE-Hinge Pintles are not included in above prices. (For prices of pintles see page 22.)

NOTE-Prices of above Complete Sets include four hinges, triple latch top bolt, bottom bolt and automatic closing device. If six hinges are required, add price of extra hinges. (See page 26 for prices of hinges.)

Price List of Doors on Page 3



DOUBLE SWING




STYLE "R R"

(Not Labeled)

Complete set of fixtures for 4'-0" wide Flush Door	Price List
Complete set of fixtures for 4'-0" wide Overlap Door	\$14.50
For wider doors add per foot	15.50
For wider doors add per foot	.75
Automatic Closing device, complete Steel Astragal to bolt to door per foot	8.00
NOTE—Prices of above Complete See in the land above prices of sets. (For prices of Pintles see page 22.)	. 25
NOTE—Prices of above Complete Sets include four hinges, single latch, gravity top bolt, gravity bottom bolt and automatic clo Price List of Doors on Page 2	
Price List of Doors on Page 3. In ordering give data on pages 43	

COBURN


LATCHES




Style		Price List	Style Numb	er	Price List	Style Numb	er	Price List
F-70	LATCH CATCH, Rt. & Left to build in wall, Ea.	\$0.50	F-80	LATCH PLATE for pad- lock for Slide Doors	\$0.25	F-90	LATCH CATCH, Rt. & Left for padlock, Each.	\$0.50
F-71	LATCH CATCH to bolt - thru wall, Each	. 50	F-81	LATCH CATCH to at- tach to frame, Each.	. 15	F-91	LATCH HANDLE, Special, Each	. 25
F-72	SINGLE LATCH LOOP HANDLE, Each	1.00	F-82	LATCH CATCH for Overlap Door, Each	. 40	F-92	FIVE BAR LATCH, Labeled, Each	7.00
F-73	SINGLE LATCH, Rt. & Left for padlock, Each	1.50	F-83	SINGLE LATCH TEE HANDLE, Each	1.00	F-93	LATCH CATCH for five bar latch, each	2.25
F-74	LATCH CATCH to fas- ten to frame, Each	. 15	F-84	SINGLE LATCH OFF- SET, Each	1.50	F-94	FOUR BAR LATCH, Labeled, Each	5.75
F-75	LATCH CATCH for pair of doors, Each	.15	F-85	LATCH PLATE for pad- lock for pair Slide Doors	. 25	F-95	LATCH CATCH for four bar latch, Each	1.75
F-76	LATCH for Slide Door, Each	1.75	F-86	LATCH CATCH, Adj. for Slide Doors, Each	. 50	F-96	THREE BAR LATCH, Labeled, Each	4.50
F-77	LATCH CATCH to at- tach to frame, Each	. 15	F-87	ELEVATOR Door Latch for pr. Swing Doors, Each	2.00	F-97	LATCH CATCH, for three bar latch, Each	1.25
F-78	LATCH CATCH, Adj. for Overlap Door, Each	. 50	F-88	LATCH CATCH for Sgle Swg. Shutter, Each	.40	F-98	TWO BAR LATCH, Labeled, Each	3.25
F-79	LATCH fer padlock, Rt.& L' operates one side only, Ea	ft, 1.25	F-89	LATCH, Rt. & Left for Comb. Swg. & Sl. Doors	1.50	F-99	LATCH CATCH for two bar latch, each	. 75
NOTI	E-Prices of latches include a Bolts or screws for catche		F-100	TRIPLE LATCH, not labeled, Each.	4.00			

Total Control


In ordering give thickness of doors. Give height of door in ordering F-92, F-93, F-94, F-95, F-96, F-97, F-98, F-99, F-100.




HINGE PINTLES




F-101 OUADRUPLE 2" PINTLE 80 PINTLE 80		PIN BLOCK, Rt. tog		I" PINTLE to bolt to.	list
				2" PINTLE to bolt to	
		ACE HINGE HOOK.		2" PINTLE to bott then	-113
F-104 SHNGE EYE, 2" to bolt thru wall. Each.		FACE HINGE HOOK.		wall, Each	
build in wall. Each				AF DIAMER DA	
F-105-B * PIN BLOCK, Rt. to build in soal, Each		FACE HINGE HOOK.		to frame, Each	
F-105-C 1 PIN BLOCK Left to build in wall. Each		PINTLE to bolt to		to frame, Each. 1" PINTLE, Rt. to bolt to frame, Each.	
				to frame, Each	.30



DOOR BOLTS



STYLE "M" CATCH




STYLE "O" CATCH

GRAVITY TOP BOLTS.

Regular gravity chain bolts, regular catches, List Style "M", per dozen..... \$12.00


Price



GRAVITY BOTTOM BOLTS.

The only successful bottom bolt ever made, has no springs to weaken, is positive, and so strong that it cannot be broken in ordinary use.

Gravity bottom bolts, Style "P", per dozen. ... \$12.00




Price List

SELF-ACTING TOP BOLT.

(Patented.)

Japan Finish, per dozen..... \$24.00



SELF-ACTING BOTTOM BOLT.

(Patented.)


Japan Finish, per dozen..... \$24.00




STYLE "O"




Parts	
Hinges, 13" x 15" x 15", per pair.	Price List
Hinges, 13" x 15" x 15", per pair	\$0.75
Pin Blocks, §", to build in wall (right and left), each Face Hinge Hooks §", to bolt to wall, (right and left, a	40
Face Hinge Hooks 5", to bolt to wall, (right and left, each Double Shutter Bar with catches and handle Single Shutter Bar with catches and handle	40
Single Shutter Bar with catches and handle	2.50
Long Shutter Hooks and Eyes 3" x 24", per pair	1.00
2 2 20 20 4 17211	
Long Shutter Hooks and Eyes, \$" x 36", per pair	75
NOTE—Prices of longer hinges on page 26. NOTE—If pin blocks or eye blocks are already set give size of pin or eye and location of same. Prices of operating desprice List of Shutters quoted upon application.	1.00
Price List of Shutters on Page 3. In ordering give data on pages 3.	




SHUTTER FIXTURES



Style Number		Price List	Style Number		Price List
F-112	SINGLE SHUTTER BAR, operates from inside only, Each	\$0.75	F-118	SILL PLATE, for Shutter Hook, Each	\$0.15
F-113	SINGLE SHUTTER BAR, operates from both sides, Each	1.00	F-119-A	SHUTTER HOOK, 3 " x 2'-0" long, Per Pair	. 50
F-114	DOUBLE SHUTTER BAR, operates from both sides, Each	2.50	F-119-B	SHUTTER HOOK, ½" x 2'-6" long, Per Pair	.75
F-115	SHUTTER BAR CATCH, Each	.15	F-119-C	SHUTTER HOOK, 5 " x 3'-0" long, Per Pair	1.00
F-116	COBURN EXPANSION BLOCK with 3" to 3" bolt not over 12" long, Each	. 50	F-120	SHUTTER HINGE 13" x 5 16" x 15", Per Pr. add .05 for each inch longer, Per Pair	. 75
F-117	DOUBLE SHUTTER BAR, operates from both sides, Each	2.50	F-121	SINGLE SHUTTER BAR, with catches,	1.00



HINGES



STANDARD FIRE DOOR HINGES.

Made of $\frac{3}{8}$ " x $2\frac{1}{2}$ " Steel.

STANDARD FIRE SHUTTER HINGES.

Made of $\frac{5}{16}$ " x $1\frac{3}{4}$ " Steel.

									10	4	
					Price List						Price List
Hinges,	18"	Long,	per	pair	 \$1.60	Hinges,	12"	Long.	per	pair	 \$0.65
"	21"	"	"	"	 1.80	1			_	-	
"	24"			"			18"				
"	27"	"	"				21"				
- "	30"	"	**	11							
	33"		"	"							
						66	27"	"	"	"	 1.15
16	36"	"	"	"	 2.80	"	30"				
"	39"	"	"	. 77		"	33"	"			
"	19"	"	"	"							 1.35
,,	12				 3.20	"	36"	"	"	"	 1.45
"	48"	"	66	"	 3.40	"	39"	"	"	"	
"	54"	"	46	"	2 60	"	10"	"	,,	.,	 1.55
"	60"	"	66	"	 0.00		42"	"	"	"	 1.65
	00				 3.80	"	45"	"	"	"	 1.75

For Offsetting Hinges add 40c per pair. For pins in Hinges add 30c per pair.


Note-In ordering hinges advise size and location of pin or eye block.

Advise if doors are flush or overlap and thickness. Bolts are not included in above prices.

Prices on special hinges will be quoted upon application.


THRESHOLDS

By using angle irons as shown, and filling in between with strong Portalnd cement a very durable threshold is obtained and as the cement may be replaced if it ever wears, the threshold is practically indestructable.




The National Standard specifications demands that the threshold should extend beyond the line of the wall as far as the outer side of the door and that it shall extend along the wall six inches at each side of the opening.

Prices on Thresholds quoted upon application.
In ordering give width of opening and thickness of wall.




TRAP DOOR FIXTURES




Trap doors properly held open by fusible link arrangement will close in case of fire and check progress of flames.

Price List

Fusible Link and Screw Eye	\$0.50
Sash Cord, per foot	~ .
Pulley to attach to wall, each	1.00
Weight, per lb	. 08
Flush Trap Door Ring, each	. 50
Hinges, per pair	1.50
Tarabasing width length and thickness of door.	




STYLE NO. 1 FRAME




LIST PRICES OF NO. 1 FRAME, SQUARE TOP

Opening 3' wide and 7' or under in height	For Pair Doors \$17.00 18.00 19.00 20.00 1.00
Opening 3' wide and 7' or under in height	For Pair Doors \$22.00 23.00 24.00 25.00 1.00

Note:-Prices include hinges.



STYLE NO. 2 FRAME



LIST PRICE OF NO. 2 FRAME, SQUARE TOP


Detroited.

									For Single Door	For Pair Doors
Opening	3'	wide	and	7'	or	under	in	height		\$20.00
opening "	11	66	66	71	66	66	66	"		21.00
"	5/	66	66	71	66	66	66	"		22.00
66	61	66	66	71	66	66	66	66		23.00
									1.00	1.00

LIST PRICE OF NO. 2 FRAME, ARCHED TOP

	For Single Door	For Pair Doors
Opening 3' wide and 7' or under in height	\$23 . 00	\$25.00
opening 5 wide and 7 " " " " " " " " " " " " " " " " " "	24.00	26.00
" 5′ " " " " " " " "	25.00	27.00
" 6′ " " " " " " " "	26.00	28.00
For Frames higher than 7' add per ft	1.00	1.00

Note:-Prices include hinges.



MACHINE BOLTS

List Price per 100




Length	3 "	5 "	1/2 "
2"	\$8.25	\$5.58	\$3.86
3"	9.35	6.34	4.38
4"	10.45	7.10	4.90
5"	11.55	7.86	5.42
6"	12.65	8.62	5.94
7"	13.75	9.38	6.46
8"	14.85	10.14	6.98
9"	15.95	10.90	7.50
10"	17.05	11.66	8.02
11"	18.15	12.42	8.54
12"	19.25	13.18	9.06
13"	20.35	13.94	9.58
14"	21.45	14.70	10.01
15"	22.55	15.46	10.62
16"	23.65	16.22	11.14
17"	24.75	16.98	11.66
18"	25.85	17.74	12.18
19"	26.96	18.50	12.70
20"	28.05	19.26	13.22
21"	29.15		
22"	30.25		
23"	31.35		
24"	32.45		
25"	33.55		
26"	34.65		
27"	35.75		
28"	36.85		
29"	37.95		
30"	39.05		

EXPANSION BOLTS

List Price per hundred

		1		
Length	3 "	1/2 "	<u>5</u> "	3 "
$2\frac{1}{2}$ "	\$15.90	\$24.15	\$31.70	\$48.30
3"	16.10	24.45	32.10	48.85
4"	16.40	25.35	32.90	50.00
5"	16.90	25.90	33.75	51.05
6"	17.35	26.45	34.60	52.20
7"	17.56	27.00	35.40	53.30
8"	18.00	27.55	36.25	54.45
9"		28.10	37.10	55.55
10"			37.95	56.65
11"			38.80	57.75
12"			39.60	58.90





COBURN EXPANSIONS.

The best expansions ever devised for use in places which do not permit the use of through bolts. No other bolt has ever been devised with anything like an equal amount of bearing surface. We will gladly submit samples for comparative test; any ordinary machine bolt may be used with it.

Standard List.


.....\$30.00






THE LARGEST FIRE DOOR EVER INSTALLED.

The above cut shows one of the many problems we have to encounter. We solve these problems and will furnish drawings and estimates upon application.




AN ACTUAL TEST

This Fire Door, together with other Fire Doors in the same room, stopped the spread of flames to adjoining rooms, thus checking what would have been a most disastrous fire, as the product of this plant is celluloid goods.



KALAMEIN DOORS



The Coburn Door in a fire proof partition makes each room a separate building. We carry a large stock of Kalamein Mouldings and trim, Doors and trim can be made to architects' details.

Doors covered with Kalamein Iron, Galvanized Iron, or Copper. Send for Catalog Number 52 on Kalamein Doors.



MEASUREMENT BLANK

FOR SLIDE DOORS AND HARDWARE

COBURN TROLLEY TRACK MFG. CO. HOLYOKE MASSACHUSETTS

Gentlemen:—Please Ship us Quote on the following Slide Fireproof Doors and Hardware for same. Wall Bolts are not wanted.

Yours truly,


Number of Openings	Width of Openings	Height of Openings	Thickness of Wall	Distance from top of door to nearest ob- struction over- head	ped gi	ing is sq ve dime er sketo in margi	uare top- nsions of ch No. 2 in	Material of lintel and of wall if other than brick	Thickness of Doors
	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6	No. 7		

Do Doors lap more or less than four inches?

If thickness of wall is given, we will consider it an order for wall bolts.

State whether doors and hardware are both wanted, or hdw. only. Give thickness of doors.

For explanation of measurements see illustrations on next page.




SKETCH NO. 1

Measurement No. 1. Width of opening.

No. 2. Height of opening.

No. 3. Thickness of wall.

No. 4. Headroom.



SKETCH NO. 2

Measurement No. 1. Width of opening.


"No. 2. Height of opening.

"No. 3. Thickness of wall.

"No. 4. Headroom (from under side of lintel.)

No. 5. Height of lintel.
No. 6. Extension of lintel to left.
No. 7. Extension of lintel to right

Give Material of Lintel.



MEASUREMENT BLANK

FOR SWING DOORS AND HARDWARE

COBURN TROLLEY TRACK MFG. CO. HOLYOKE MASSACHUSETTS

Gentlemen:—Please { Quote on Ship us } the following Slide Fire	reproof Doors Shutters and Hardware for same per schedule below.
	Yours truly,
Date	

Width at top of Opening	Width of Base of Opening	Height on Right Side	Height on Left Side	Height in Center	Do doors close Flush or overlap? If latter how much?	If doors close flush give di- mensions of rebate	Thickness of Doors
No. A	No. C.	No. B	No. E	No. D			
	of Opening	of Opening of Opening	of Opening of Opening Right Side	of Opening of Opening Right Side Left Side	of Opening of Opening Right Side Left Side Center	Width at top of Opening Width of Base of Opening Right Side Height on Left Side Height on Left Side Height in Center If latter how much?	Width at top of Opening Width of Base of Opening Width Side Height on Right Side Height on Left Side Height in Center Center Height in Center how much? If latter how much?

Are full sets of door fixtures wanted, including hinges, wall blocks?

Are full sets of door fixtures wanted, including hinges, wall blocks, latch top bolt and automatic fixtures?

Are pin blocks wanted for doors or shutters?

How thick are doors or shutters?


Are single hinged doors or pairs of folding doors wanted?


If blocks are already set, give data shown on next page.

Do doors or shutters close flush or overlap?

How much do they overlap?

See next page for explanation of this measurement blank.





Please note particularly our designation of right and left side for swing door and shutter openings.

In stating which way door swings be guided by the above cut.
(Don't call doors right or left according to hand as you stand facing door or shutter on side of wall upon which they are to be hung.)

Give data called for in this illustration if pin or eye blocks are

No. 2. No. 3.



Headroom Required for Gravity Slide Doors, Style "A"

ARCHED TOP OPENINGS

FLAT TOP OPENINGS

Width of Opening	Headroom Required	Width of Opening	Headroom Required
3' 0"	1' 5"	3' 0"	1' 6"
4' 0"	1' 6"	4' 0"	1' 73"
5' 0"	1' 7"	5' 0"	$1' 8\frac{3}{4}''$
6' 0"	1' 8"	6' 0"	1' 101 "
7' 0"	1' 0"	7' 0"	1' 111 "
8' 0"	1' 10"	8' 0"	2' 1"
9'0"	1' 11"	9'.0"	2' 21"
10' 0"	2' 0"	10' 0"	2' 3"
11' 0"	2' 1"	11' 0"	2' 5"
12' 0"	2' 0"	12' 0"	$2' 6\frac{3}{8}"$

Headroom required for Gravity Slide Doors: Style "Sure Closer" same as Style "A."

Headroom required for Gravity Slide Doors: Style No. 5 same as Style "A."

Headroom required for Gravity Slide Doors: Style No. 6 same as Atyle "A."

Headroom required for Level Slide Doors: Design "C": 1' 2"

Headroom required for Level Slide Doors: Design "D": 6"

Headroom required for Vertical Slide Doors, Style "G": 6" more than twice the height of the opening.

Headroom required for Vertical Slide Doors, Style "H": 12" more than twice the height of the opening.

Headroom Required for Gravity Slide Doors, Style "E"


ARCHED TOP OPENINGS

FLAT TOP OPENINGS

Width of Opening	Headroom Required	Width of Opening	Headroom Required
3' 0" 4' 0" 5' 0" 5' 0" 6' 0" 7' 0" 8' 0" 9' 0" 10' 0"	$7\frac{1}{4}''$ $9''$ $10\frac{1}{2}''$ $11''$ $13''$ $13\frac{3}{4}''$ $15''$ $16''$	3' 0" 4' 0" 5' 0" 4' 0" 6' 0" 7' 0" 8' 0" 9' 0" 10' 0"	$8\frac{1}{4}$ " $10\frac{1}{2}$ " 12 " $12\frac{3}{4}$ " $14\frac{3}{4}$ " $15\frac{1}{2}$ " $18\frac{1}{2}$ " $19\frac{1}{2}$ "


Headroom Required for Gravity Double Slide Doors

Width of Opening	Headroom Required	Width of Opening	Headroom Required
4' 0" 5' 0" 6' 0" 7' 0" 8' 0"	$16\frac{1}{2}$ " $16\frac{7}{8}$ " $17\frac{1}{4}$ " $17\frac{5}{8}$ " 18 "	9' 0" 10' 0" 11' 0" 12' 0"	$18\frac{3}{8}$ " $18\frac{3}{4}$ " $19\frac{1}{8}$ " $19\frac{1}{2}$ "



National "A"

Erection Sheet




The Top Binder should take the blow as the door closes.

Bolts for fastening Track to wall should be 4 inches longer than thickness of wall.


Bolts for fastening bottom Binders should be 2 inches longer than thickness of wall.

Bolt for Guide Roll should be 1 inch longer than thickness of wall.



Cincinnati Standard

Erection Sheet



The Top Binder should take the blow as the door closes.

Bolts for fastening Track to wall should be 4 inches longer than thickness of the wall.

Bolts for fastening bottom Binders should be 2 inches longer than thickness of the wall.


Bolt for Guide Roll should be 1 inch longer than thickness of the wall.

Bolt for Wall Pulley should be 6 inches longer than thickness of the wall.



Philadelphia Standard

Erection Sheet



The Top Binder should take the blow as the Door closes.

Bolts for fastening Track to wall should be 4 inches longer than thickness of the wall.

Bolts for fastening Bottom Binders should be 2 inches longer than thickness of the wall.


Bolt for Guide Roll should be 1 inch longer than thickness of the wall.

Bolt for wall Pulley should be 6 inches longer than thickness of the wall.



Regular "A"

Erection Sheet




Bolts for fastening Track to wall should be 4 inches longer than thickness of the wall.

Bolts for Bottom Binder should be 2 inches longer than thickness of the wall.

All Hardware, Screws and Bolts are furnished that are necessary to erect this door; and no shortage will be allowed unless claim for same is made within ten days.

Regular "B"

Erection Sheet




Bolts for fastening track to wall should be 4 inches longer than thickness of the wall. Wall Bolts are furnished only when specified on order.




Labeled Style "B"

Erection Sheet



NOTE—Wall Bolts are not included in set of fixtures. Same are furnished only when ordered extra.




Regular "C"

Residence .

Erection Sheet

DISPOSITION



Front Top Binder should take the blow as the door closes.


Bolts for fastening Track to wall should be 4 inches longer than thickness of the wall.

Bolts for Bottom Binder should be 2 inches longer than thickness of the wall.




Regular "CC"

Erection Sheet




Bolts for attaching Track to wall should be 4 inches longer than thickness of the wall. Wall Bolts are furnished only when specified on order.



Standard "C"

Erection Sheet




Top binder should take the blow as the door closes.

Bolts for fastening track to wall should be 4 inches longer than thickness of the wall.

Bolts for bottom binders should be 2 inches longer than the thickness of the wall.


Bolt for Guide Roll should be 1 inch longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this door are furnished and no shortage will be allowed unless claim for same is made within ten days.



Standard "CC"

Erection Sheet




Bolts for attaching track to wall should be 4 inches longer than thickness of the wall.

Bolts for attaching Guide Rolls should be 1 inch longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this door are furnished and no shortage will be allowed unless claim for same is made within ten days.

Regular "D"


Erection Sheet



"D" Bracket should take the blow as the door closes.


Bolts for fastening "D" Brackets and track to wall should be 6 inches longer than thickness of the wall.

Bolts for "WI" Brackets and Bottom Binder should be 2 inches longer than thickness of the wall.



Standard "D"

Erection Sheet




"D" Brackets should take the blow as the door closes.

Bolts for "D" Brackets should be 6 inches longer than thickness of the wall.

Bolts for "WI" Brackets and Bottom Binders should be 2 inches longer than thickness of the wall.


Bolt for Guide Roll should be 1 inch longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this door are furnished and no shortage will be allowed unless claim for same is made within ten days.




Regular "D D"

Erection Sheet




Bolts for attaching Track at C. I. Brackets should be 6 inches longer than thickness of the wall. Bolts for "WI" Brackets should be 2 inches longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this door are furnished and no shortage will be allowed unless claim for same is made within ten days.



Standard "D D"

Erection Sheet




Bolts for attaching Track to wall at C. I. Brackets should be 6 inches longer than thickness of the wall.

Bolt for W. I. Bracket should be 2 inches longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this door are furnished and no shortage will be allowed unless claim for same is made within ten days.

Regular "E"


Erection Sheet



"D" Bracket should take the blow as the door closes.


Bolts for fastening "D" Brackets and Track to wall should be 6 inches longer than thickness of the wall.

Bolts for W. I. Brackets and Bottom Binder should be 2 inches longer than thickness of the wall.



Standard "E"

Erection Sheet



"D" Bracket should take the blow as the door closes.

Bolts for "D" Bracket should be 6 inches longer than thickness of the wall.


Bolts for "W. I." Brackets and Bottom Binders should be 2 inches longer than thickness of the wall.

Bolts for Guide Roll should be 1 inch longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this door are funished.


Wall Bolts are furnished only when specified on order.

No shortage will be allowed unless claim for same is made within ten days.




Regular "G"

Erection Sheet




Bolts for attaching Track to wall should be 5 inches longer than thickness of the wall. Unless method or length of bolts for attaching Cable and Rope Pulleys is specified on order, no screws or bolts will be furnished.



Regular "H"


Erection Sheet




Bolts for attaching Track to wall should be 5 inches longer than thickness of the wall. Bolt for attaching Cable Pulley should be 2 inches longer than thickness of the wall. Bolt for attaching Rope Pulley should be 6 inches longer than thickness of the wall. Thru Bolts should be used instead of Expansion Bolts when erected on tile walls. Wall Bolts are furnished only when specified on order.

Regular "HH"

Erection Sheet




Bolts for attaching Track to wall should be 5 inches longer than thickness of the wall. Wall Bolts are furnished only when specified on order.



Regular "J"

Erection Sheet



Bolts for attaching Track to wall should be 2 inches longer than thickness of the wall.

Bolts for attaching Cable and Rope Sheaves to ceiling should be 1 inch longer than thickness of the ceiling.

Lag Screw Eyes are furnished for attaching chain to ceiling unless otherwise specified in order.


All Hardware, Screws and Bolts necessary to erect this door are furnished.

Wall Bolts are furnished only when specified on order.

No shortage will be allowed unless claim for same is made within ten days.

Regular "H. F."

Erection Sheet




Bolts for attaching Wall Pulley to wall should be 2 inches longer than thickness of the wall.

Bolts for attaching Hoist to wall should be 2 inches longer than thickness of the wall.

Bolts for attaching Top Hinge to wall should be 2 inches longer than thickness of the wall.


No. 24 x 3 inches Flat Head Expansion Polts are furnished for attaching Guide Angles to wall.

Wall Bolts are furnished only when specified on order.



Regular "H. F. A."

Erection Sheet.



Bolts for attaching Wall Pulley to wall should be 2 inches longer than thickness of the wall.


Bolts for attaching Hoist to wall should be 2 inches longer than thickness of the wall.

Bolts for attaching Top Hinge to wall should be 2 inches longer than thickness of the wall.

No. 24 x 3 inch Flat Head Expansion Bolts are furnished for attaching Guide Angles to wall.


Bolt for attaching Wall Sheaves to wall should be 6 inches longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this door are furnished, and no shortage will be allowed unless claim for same is made within ten days.




Regular "N"

Erection Sheet




This is a right hand swing door.

If walls are of hollow tile Thru Bolts should be used instead of Expansion Bolts. Latch should be bolted to door and catches made to line with Latch Bars. Wall Bolts are furnished only when specified on order.



Regular "N N"


Erection Sheet



If walls are of hollow tile Thru Bolts should be used instead of Expansion Bolts.


Latch should be bolted to door and catches made to line with Latch Bars. Latch and Astragal should be attached to swinging member.

If Lift Arm and Stop Arm are in wrong position loosen set screws and change about and assemble. Wall Bolts are furnished only when specified on order.




Regular "R"

Erection Sheet




Latch should be bolted to door and catch made to line with Latch Bar.

If Automatics go on wood metal covered frames, Lags should be used instead of Expansion Bolts and on iron frames machine screws instead of Expansion Bolts.



Style "R R"


Erection Sheet



THIS IS A RIGHT HAND PAIR OF DOORS


NOTE—Hinge Blocks or Pintles are not included in set of fixtures. Same are furnished only when ordered extra.

Wall Bolts are not included in set of fixtures. Same are furnished only when ordered extra.




Regular "S. B." Shutter


CUI WASHERS LIFT HANDLE



Erection Sheet



SECTION THROUGH LATCH HANDLE




Bolts for attaching Pintles should be 2 inches longer than thickness of the wall.

All Hardware, Screws and Bolts necessary to erect this Door are furnished.


Wall Bolts are furnished only when specified on order.

No shortage will be allowed unless claim for same is made within ten days.



Regular "V" on Wall

Erection Sheet




Latch should be bolted to door and catch made to line with Latch Bar.

Bolts for attaching Weight Bracket should be 1 inch longer than thickness of the wall.

All Hardware, Bolts and Screws necessary to erect this door are furnished.


Wall Bolts are furnished only when specified on order.

No shortage will be allowed unless claim for same is made within ten days.



Style "H B"

Erection Sheet



NOTE-Wall Bolts are not included in set of fixtures. Same are furnished only when ordered extra.



